
# THE MONARCH ENTRY

RE-IMAGINING WESTWOOD PLAZA THROUGH PLANTING DESIGN



JULIA BENNETT LANDSCAPE DESIGN 5 UCLAx SPRING MAY 24, 2023

# **SITE ANALYSIS**



#### **NOTES**

MATURE TREES W/ SUPERFICIAL ROOTS
ADJACENCIES: PUBLIC TRANSPORT, DAILY MEDICAL USE. SHOPPING/RESTAURANTS,

ADJACENCIES: PUBLIC TRANSPORT, DAILY MEDICAL USE. SHOPPING/RESTAURANTS,


MAIN SOUTHERN ENTRANCE TO CAMPUS: NO COHESIVE STATEMENT/AESTHETIC

PLENTY OF PARKING

AMMENITIES

INAPPROPRIATE PLANTING: BUSTON INY, SYCAMORE, LOPOPETALUM, BAMBOO, PRIVET, PITTOSPORUM, RHAPHTOLEPSIS

VEHICULAL VS. PEDESTRIAN EXPERIENCE (VIEWS, SHADE, ACCESS)



# **CONCEPT INSPIRATION**






- Blue and yellow natives-focused palette to mark the entry to campus
- Integrated pathways and planting to create both efficient circulation and quiet meandering experiences.
- Create seating and shade amenities
- Geometric, brutalist shapes that evoke the architecture of southern campus while also calling to the alluvian character that was historically at this site.
- Mirrored design evoking the symmetry of Monarch butterfly

















### **SITE CONCEPT**






### SITE CONCEPT

- -BIODIVERSITY HOTSPOT,
- TRANSITION BETWEEN POUTHLL WOODLAND & COASTAL SAGE SCRUB HISTOPICAL PLANT COMMUNITIES
- ALLUVIAN COPPIDOR (BEVERLY GLEN).
- MONARCH AS A MOTIF FOR REPUGE, TRANSITION, TRANSFORMATION, ALL OF THE THINGS CAMPUS PROVIDES.


# **PLANT PALETTE**

#### **NATIVE TREES**












#### PEDESTRIAN CORRIDOR













#### **WILDFLOWER "FIELDS"**

































#### **MOUNDED BUFFER PLANTING / BIOSWALE**



































COMMON NAME SCIENTIFIC NAME	MATURE HEIGHT/ SPREAD	WUCOLS FACTOR	SUMMER WATER REDUX.	WILDLIFE BENEFIT	SOIL REQUIREMENTS	BLOOM COLOR/ SEASON	MAINTENANCE REQUIREMENTS
EASTWOOD MANZANITA Arcostaphylos glandulosa	Height: 3-12' Width: 8'	<b>♦ ♦ ♦ Low</b> 10-30% ET <sub>0</sub> Plant Factor: 0.10-0.30	Max 2x/month once established	トドライダ	Fast - medium drainage, decomposed granite	Winter/Spring Pink/White	Plant in spring, grows quickly.
CATALINA CHERRY Prunus Iyonii	Height: 25-40' Width: 20'	Very Low <10% ET <sub>0</sub> Plant Factor: < 0.10	Max 2x/month once established		Tolerates a variety of soils	Winter/Spring Cream/White	Prune to shape when tree is young
CALIFORNIA LAUREL Umbellularia californica	Height: 6-80' Width: 3-30'	6 6 Low  10-30% ET <sub>0</sub> Plant Factor: 0.10-0.30	Max 3x/month once established	1	Tolerates variety of soil, medium slow draining	Spring Yellow, White, Green	Limit understory planting
BUCKEYE Aesculus californica	Height: 13-40' Width: 40'	Very Low < 10% ET <sub>0</sub> Plant Factor: < 0.10	Max 2x/month once established	~ 4	Tolerates variety of soil, medium slow draining	Spring/Summer White/Cream	Winter and Summer Deciduous
YUCCA BRIGHT STAR Yucca floricosa	Height: 1-2' Width: 3-5'	Very Low < 10% ET <sub>0</sub> Plant Factor: < 0.10	N/A	> 1 4	Rocky, sandy, well draining soil	Summer/Fall White	
SAN RAFAEL BLUE FESCUE Festuca californica 'SRB'	Height: 1.5-2' Width: 1.5-2' Clumping	Low 10-30% ET <sub>0</sub> Plant Factor: 0.10-0.30	Max 2x/month once established		Tolerates all soil types	Spring Yellow	Forms large clumps, fast growing, Summer deciduous
CHALK DUDLEYA Dudleya pulverulenta	Height: 0.3-1' Wldth: 1'	Very Low < 10% ET <sub>0</sub> Plant Factor: < 0.10	Max 1x/month once established	トレイイ	Variable , rocky coarse soils on slope preferred	Spring/Summer Orange, Pink, Red	Remove spent stalks
BUSH SUNFLOWER  Encelia californica	Height: 1.5-5' Width: 3-7'	♦ ♦ ♦ Very Low < 10% ET <sub>0</sub> Plant Factor: < 0.10	Max 1x/month once established	トレイイ	Tolerates a wide variety of soils	Winter/Spring Brown, Purple, Yellow	semi-deciduous in summer, can cut to ground
CONCHA CEANOTHUS Ceanothus concha	Height: 3-6' Width: 3-6'	Very Low < 10% ET <sub>0</sub> Plant Factor: < 0.10	Max 1x/month once established		Fast - medium drainage	Winter/Spring Blue	Grows quickly, can be short lived
GOLDEN YARROW Eriophyllum confertiflorum	Height: 1.5-2.5' Width: 1.5'	Very Low < 10% ET <sub>0</sub> Plant Factor: < 0.10	Max 2x/month once established	1 4 m	Medium/Slow drainage, tolerates clay soil	Winter/Spring/Summer Yellow	Deadhead to extend blooming
DAVID'S CHOICE SAGEBRUSH Artemisia pycnocephala 'David's Choice'	Height: 1-1.5' Width: 1-2'	6 6 0 Low 10-30% ET <sub>0</sub> Plant Factor: 0.10-0.30	N/A	24	Sandy, coarse grained or other fast draining soil	Spring/Summer Insignificant	Cut flower stems to maintain habit.
CALIFORNIA POPPY Eschscholzia californica	Height: 0.5-2' Wldth: 1-2'	Very Low < 10% ET <sub>0</sub> Plant Factor: < 0.10	Max 2x/month once established		Prefers sandy infertile, well- draining soils	All Season Orange/Yellow	Cut to ground when summer deciduous
ARROYO LUPINE Lupinus succulentus	Height: 2-4' Width: 3'	6 6 Low 10-30% ET <sub>0</sub> Plant Factor: 0.10-0.30	Max 2x/month once established		Tolerates variety of soils, likes heavy moist conditions	Winter/Spring Blue, Lavender, White	Summer deciduous
FALSE GOLDENASTER Heterotheca sessiflora	Height: 2-4' Width: 2-4'	Very Low < 10% ET <sub>0</sub> Plant Factor: < 0.10	Max 2x/month once established	A SUPER	Sandy garden soil	All Season Yellow	Clumping, mat forming
BLUE DICKS  Dipterostemon capitalus	Height: 1.5-2' Width: 2'	10-30% ET <sub>0</sub>	Max 1x/month once established	~ 4	Tolerates all soil conditions	Winter/Spring Lavender/Blue	Summer deciduous
NARROWLEAF MILKWEED  Asclepias fascicularis	Height: 1.5-3.5' Width: 1'	Low 10-30% ET <sub>0</sub> Plant Factor: 0.10-0.30	Max 2x / month once established	> 1 4	Tolerates all soil conditions	Summer, Fall White, Lavende	Never use pesticide
CALIFORNIA CUDWEED  Pseudognaphalium  californicum	Height: 0.5-3' Width: 2'	Very Low < 10% ET <sub>0</sub> Plant Factor: < 0.10	Max 1x/month once established		Tolerates all soil conditions	Winter, Spring, Summer Cream, White, Green	Summer demi-deciduous
BUSH MONKEY FLOWER Diplacus aurantiacus	Height: 4-5' Wldth: 5'	Very Low < 10% ET <sub>0</sub> Plant Factor: < 0.10	Max 1x/month once established	トレイング	Tolerant of difficult soils if adequate drainage is provided	Winter, Spring, Summer Orange, Yellow	Deadhead to increase flower production
'WARRINER LYTLE' BUCKWHEAT Erigonum fasciculatum 'Warriner Lytle'	Height: 1-2' Width: 5-10'	6 6 Low 10-30% ET <sub>0</sub> Plant Factor: 0.10-0.30	Max 2x/month once established		Prefers well draining soil, tolerant of other types	Spring/Summer/Fall White	Can handle hard pruning, can be edged or hedged
COYOTE BUSH 'PIGEON POINT' Baccharis pilularis	Height: 1.5-2' Width: 6-8'	6 6 Low 10-30% ET <sub>0</sub> Plant Factor: 0.10-0.30	Max 1x/month once established		Tolerates all soil conditions	All Season Yellow, White, Cream	Prune annualy for neat appearance

COMMON NAME SCIENTIFIC NAME	MATURE HEIGHT/ SPREAD	WUCOLS FACTOR	SUMMER WATER REDUX.	WILDLIFE BENEFIT	SOIL REQUIREMENTS	BLOOM COLOR/ SEASON	MAINTENANCE REQUIREMENTS
CREEPING WILD RYE  Laymus triticoides	Height: 2-4.5' Width: 3-5' Crawling	♦ ♦ ♦ Low 10-30% ET <sub>0</sub> Plant Factor: 0.10-0.30	Max 1x/month once established	* *	Tolerates most soils	Spring Green	Winter Deciduous, requires regular water. Can be mowed
BERKLEY SEDGE Carex tumulicola	Height: 1'' Width: 1-2'	6 6 6 Low 10-30% ET <sub>0</sub> Plant Factor: 0.10-0.30	N/A		Tolerates most soils	Spring Brown	Takes pruning well, cut in late Can be mowed, tolerates period of dryness
FOOTHILL NEEDLEGRASS Stipa lepida	Height: 1.5-3.5' Width: 2'	Very Low < 10% ET <sub>0</sub> Plant Factor: < 0.10	Never irrigate once established		Adaptabable, found in clay loam	Spring/Summer Brown, Cream	Can be mowed/sheared to 4-6"
CUCAMONGA BROME  Bromus carinatus	Height: 1-5 Width: 1'	<b>å å å b</b> Low 10-30% ET₀ Plant Factor: 0.10-0.30	Max 2x/month once established	* *	Tolerates most soils, best in clay	Spring Yellow	Responds favorably to mowing in spring/summer
YERBA MANSA Anemopsis californica	Height: 0.5-1' Width:2'	Moderate 40-60% ET <sub>0</sub> Plant Factor: 0.40-	Keep Moist	~ ~	Tolerates all soil as long as it's kept moist	Winter/Spring White, Cream	Runners can be cut off any time.
BUTTON BUSH Berzelia lanuginosa	Height: 4-6' Wldth: 3-4'	Moderate 40-60% ET <sub>0</sub> Plant Factor: 0.40-	Keep Moist	Unknown	Does best in well draining soil	Winter/Summer Cream	Makes great cut flower,
CALIFORNIA WILD ROSE Rosa californica	Height: 8-10' Width: 10''	Moderate 40-60% ET <sub>0</sub> Plant Factor: 0.40- 0.60	Max 3x/month once established		Does best in moist loamy soil	Summer, Spring Red, Pink, White	Annual pruning to keep spread under control
BLUE GRAMMA GRASS Bouteloua gracilis	Height: 0.5-2' Width: 2'	6 6 0 Low 10-30% ET <sub>0</sub> Plant Factor: 0.10-0.30	Max 2x/month once established	1 4	Tolerates variety of soil as long as it drains well	Summer Yellow	Can be cut in winter when it's dormant
BLACK ELDERBERRY Sambuca nigra	Height: 13-30' Width: 10-20'	6 6 6 Low 10-30% ET <sub>0</sub> Plant Factor: 0.10-0.30	Max 2x/month once established		Tolerates most soils	Spring Cream, White, Purple, Black	Prune to shape in winter when it's deciduous
BLUE EYED GRASS Sisyrinchium bellum	Height: 1-2' Width: 1'	<b>å å å b</b> Low 10-30% ET <sub>0</sub> Plant Factor: 0.10-0.30	Max 2x/month once established	~ ~	Tolerates sand and clay	Winter/Spring Blue, Lavender, Purple	Dies back during summer dormancy, requires some moisture.
BLUE FIELD GILIA Gilia capitata	Height: 0.5-3' Wldth: 1'	Very Low < 10% ET <sub>0</sub> Plant Factor: < 0.10	Max 2x/month once established		Tolerates clay, does best with well draining soil	Winter/Spring Blue, Lavender, Pink, White	Does best in seed mixes with other meadow like plants, annual
PURPLE CHINESE HOUSES Collinsia heterophylla	Height: 0.5-2' Width: 1'	6 6 6 Low 10-30% ET <sub>0</sub>	Max 2x/month once established		Prefers rich loamy soil	Winter/Spring Blue, Lavender, Purple	Annual
DEER GRASS Muhlenbergia rigens	Height: 4-5' Width: 4'	6 6 Low 10-30% ET <sub>0</sub>	Max 1x/month once established		Tolerant of sand and clay soils	Spring Yellow/Cream	Can be cut back in fall
WESTERN REDBUD Cercis occidentalis	Height: 10-20' Width: 10-15'	<b>♦ ♦ ♦ Low</b> 10-30% ET <sub>0</sub>	Max 1x/month once established	ナレイブデ	Tolerates most soils	Winter/Spring	Winter Deciduous, responds well to pruning


# PLANTING CONCEPT + HARDSCAPE






# **SITE PLAN - SHRUBS**






# **SITE PLAN - TREES**







THANKS FOR A GREAT QUARTER, PAMELA!